
03000

57 05-90 6420 oxfor

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

10/006,972
CIPE
12/20/2001:

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by the treatment given to all mail coming via the Brentwood Mail Facility.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom, including:

- 1. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm, EFS Submission User Manual ePAVE)
- 2. U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- 3. Hand Carry directly to:
 - U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, 1911 South Clark Street, Crystal Mall One, Sequence Information, Arlington, VA 22202

 Or
 - U.S. Patent and Trademark Office, 2011 South Clark Place, Customer Window, Box Sequence, Crystal Plaza Two, Lobby, Room 1B03, Arlington, Virginia 22202
- 4. Federal Express Delivery, 2011 South Clark Street, Crystal Plaza 2, Room 1B03-Mailroom, Box Sequence, Arlington, VA 22202

ERROR DETECTED	SUGGESTED CORRECTION	SERIAL NUMBER:	10/006,972	
ATTN: NEW RULES CASES	: PLEASE DISREGARD ENGLISH "	alpha" headers, Wiii	CH WERE INSERTED BY PTO SOFT	WAF
lWrapped Nucleics Wrapped Aminos	The number/text at the end of each line was retrieved in a word processor after prevent "wrapping."			
2Invalid Line Length	The rules require that a line not exceed	72 characters in length. This	s includes white spaces.	
3Misaligned Amino Numbering	The numbering under each 5th amino ac use space characters, instead.	id is misaligned. Do not use	tab codes between numbers;	
4Non-ASCII	The submitted file was not saved in AS ensure your subsequent submission is		oy the Sequence Rules. Please	
5Variable Length	Sequence(s)contain n's or Xaa's re each n or Xaa can only represent a sh residue having variable length and indic	presenting more than one res ngle residue. Please present cate in the <220>-<223> sect	the maximum number of each	
6PatentIn 2.0 "bug"	A "bug" in PatentIn version 2.0 has causequences(s) Normally, previously coded nucleic acid sequence, the subsequent amino acid sequence. T Artificial or Unknown sequences.	Patentin would automatically Please manually copy the re	generate this section from the elevant <220>-<223> section to	••
7Skipped Sequences (OLD RULES)	(2) INFORMATION FOR SEQ ID NO:	X: (insert SEQ ID NO where RISTICS: (Do not insert any	subheadings under this heading)	
	Please also adjust the "(ii) NUMBER O	F SEQUENCES:" response t	o include the skipped sequences.	
8Skipped Sequences' (NEW RULES)	Sequence(s) missing. If Intention (210) sequence id number (400) sequence id number (000)	onal, please insert the follow		
9Use of n's or Xaa's (NEW RULES)	Use of n's and/or Xaa's have been detec Per 1.823 of Sequence Rules, use of <22 In <220> to <223> section, please expla	20>-<223> is MANDATORY		
10Invalid <213> Response	Per 1.823 of Sequence Rules, the only v scientific name (Genus/species). <220> is Artificial Sequence			
Use of <220>	Sequence(s) missing the <220 Use of <220> to <223> is MANDATOR "Unknown." Please explain source of g (See "Federal Register," 06/01/1998, Vo	Y if <213> "Organism" responentic material in <220> to <	223> section.	•
2Patentin 2.0 "bug"	Please do not use "Copy to Disk" function resulting in missing mandatory numeric listing). Instead, please use "File Management of the Man	identifiers and responses (as	indicated on raw sequence	
3 Misuse of n	n can only be used to represent a single any value not specifically a nucleotide.	nucleotide in a nucleic acid s	equence. N is not used to represent	

AMC/MH - Biotechnology Systems Branch - 08/21/2001

OIPE

RAW SEQUENCE LISTING DATE: 12/20/2001 PATENT APPLICATION: US/10/006,972 TIME: 13:02:41

	3 <1	110> APPLICANT: Kenneth W. Dobie	
	5 <1	120> TITLE OF INVENTION: ANTISENSE MODULATION OF PHOSPHOLIPID SCR	AMBLASE 3 EXPRESSION
	7 <1	130> FILE REFERENCE: RTS-0335	
c>		140> CURRENT APPLICATION NUMBER: US/10/006,972	. 11.
		141> CURRENT FILING DATE: 2001-12-04	. 1.4
•		160> NUMBER OF SEQ ID NOS: 94	AT !
		210> SEQ ID NO: 1	7. y ·
		211> LENGTH: 20	ac Alos o
		212> TYPE: DNA Correcte	9s Not Comply
		213> ORGANISM: Artificial Sequence	ed Diskette Needed
		220> FEATURE:	2,0000
		223> OTHER INFORMATION: Antisense Oligonucleotide	
		400> SEQUENCE: 1	
		ccgtcatcg ctcctcaggg	20
		210> SEQ ID NO: 2	20
		211> LENGTH: 20	
		212> TYPE: DNA	
		213> ORGANISM: Artificial Sequence	
		220> FEATURE:	
		223> OTHER INFORMATION: Antisense Oligonucleotide	
		400> SEQUENCE: 2	
		tgcattctg cccccaagga	20
		210> SEQ ID NO: 3	20
		211> LENGTH: 1680	
		212> TYPE: DNA	
	11 /2	213> ORCANISM: Homo saniens	
	43 <2	220 FEATURE: & delete - deplicated below	
	45 <2	220> FEATURE:	
		221> NAME/KEY: CDS	
		222> LOCATION: (144)(1031)	
		400> SEQUENCE: 3	
		ggggccggg gtccgagctc gggcccgcct ccgcctccgc cagctcctgt gagctgccga	60
		tgctaggca cccgggctct tctgggggct ccagaactaa gccacccaga caccatcatc	120
		egaaaacce cageeettet eee atg gea gge tae ttg eee eee aaa gge tae	173
	55	Met Ala Gly Tyr Leu Pro Pro Lys Gly Tyr	1.0
	56	1 5 10	
		cc cct tcg ccc cca cct ccc tac cct gtc acc cct ggg tac ccg gag	221
		La Pro Ser Pro Pro Pro Pro Tyr Pro Val Thr Pro Gly Tyr Pro Glu	221
	60	15 20 25	
		eg geg eta eat eet ggg eee ggg eag geg eea gtg eee gee eag gta	269
		ro Ala Leu His Pro Gly Pro Gly Gln Ala Pro Val Pro Ala Gln Val	200
	64	30 35 40	
		et gee cea get eee gge tie gee ete tie eee teg eet gge eee gig	317
		ro Ala Pro Ala Pro Gly Phe Ala Leu Phe Pro Ser Pro Gly Pro Val	51,
	68	45 50 55	
		ce ttg ggg tet get gee eec tte ttg eea etg eea ggg gtg eet tet	365
		La Leu Gly Ser Ala Ala Pro Phe Leu Pro Leu Pro Gly Val Pro Ser	
	, = NI	La Der et, der ata ata ito inc hea rio hea rio et, var rio dei	

72 60 65 . 70	
74 ggc ctc gaa ttc ctg gtg cag att gat cag att ttg att cac cag aag	413
75 Gly Leu Glu Phe Leu Val Gln Ile Asp Gln Ile Leu Ile His Gln Lys	413
76 75 80 85 90	
78 gct gag cga gtg gaa acg ttc cta ggc tgg gag acc tgt aat cgg tat	461
79 Ala Glu Arg Val Glu Thr Phe Leu Gly Trp Glu Thr Cys Asn Arg Tyr	
80 95 100 105	
82 gaa ctg cgc tct ggg gcc ggg cag ccc ctg ggt cag gcg gcc gag gag	509
83 Glu Leu Arg Ser Gly Ala Gly Gln Pro Leu Gly Gln Ala Ala Glu Glu	
84 110 115 120	
86 agc aac tgc tgc gcc cgt ctg tgc tgt ggc gcc cgc cg	557
87 Ser Asn Cys Cys Ala Arg Leu Cys Cys Gly Ala Arg Arg Pro Leu Arg	
88 125 130 135	
90 gtc cgc ctg gcc gac ccc ggg gac cgt gag gtg ctg cgt ttg ctc cgc	605
91 Val Arg Leu Ala Asp Pro Gly Asp Arg Glu Val Leu Arg Leu Leu Arg	
92 140 145 150	£ 5.0
94 ccg ctg cac tgt ggc tgc agc tgc tgc ccc tgt ggc ctc cag gag atg	653
95 Pro Leu His Cys Gly Cys Ser Cys Cys Pro Cys Gly Leu Gln Glu Met	
96 155 160 165 170	701
98 gaa gta cag gct cca cca ggc acc acc att ggc cac gtg cta cag acc 99 Glu Val Gln Ala Pro Pro Gly Thr Thr Ile Gly His Val Leu Gln Thr	701
100 175 180 185	
102 try cat ccc ttc ctc ccc aag ttc tcc atc cag gat gcc gat cgc cag	749
102 tyg cat coe the coe and the tee are eag gat got gut ege eag 103 Trp His Pro Phe Leu Pro Lys Phe Ser Ile Gln Asp Ala Asp Arg Gln	743
104 190 195 200	
106 aca gtc ttg cga gtg gtg ggg ccc tgc tgg acc tgt ggc tgt ggc aca	797
107 Thr Val Leu Arg Val Val Gly Pro Cys Trp Thr Cys Gly Cys Gly Thr	
108 205 210 215	
110 gac acc aac ttt gag gtg aag act cgg gat gaa tcc cgc agt gtg ggc	845
111 Asp Thr Asn Phe Glu Val Lys Thr Arg Asp Glu Ser Arg Ser Val Gly	
112 220 225 230	
114 cgc atc agc aag cag tgg ggg ggc ctg gtc cga gaa gcc ctc aca gat	893
115 Arg Ile Ser Lys Gln Trp Gly Gly Leu Val Arg Glu Ala Leu Thr Asp	
116 235 240 245 250	
118 gca gat gac ttt ggc cta cag ttc ccg ctg gac ctg gat gtg agg gtg	941
119 Ala Asp Asp Phe Gly Leu Gln Phe Pro Leu Asp Leu Asp Val Arg Val	
120 255 260 265	000
122 aag get gtg etg etg gga gee aca tte ete att gae tae atg tte ttt	989
123 Lys Ala Val Leu Leu Gly Ala Thr Phe Leu Ile Asp Tyr Met Phe 124 270 275 280	
	1041
126 gag aag cga gga ggc gct ggg ccc tct gcc atc acc agt tag aggccaccat 127 Glu Lys Arg Gly Gly Ala Gly Pro Ser Ala Ile Thr Ser	T 0.4 T
128 285 290 295	
130 ggtgtgagga gaccatcacc tcgaccagaa ctccagatgg tcacctgccc tggcccctcc	1101
132 totgggcage coetttecte catgtacact geaggggaca gaagggggge coeateceta	1161
134 coctactocc tggccgcctg cccctgtggt tcccaaggag gggtatgtat gagagccgct	1221
136 ctcctgctac ctcccaccac tgtcccagca gtccctcggc acacaggcat atcagctttc	1281
138 acactttccc catgcactct ctcccacccc cttccagggc ctctgctcca aaggaggcct	1341
140 ctggaaccca ggactctggg gttttacaag agggctgggg tgtggaaggg caagctgcac	1401

144	caaagacggt ggatatagcc accgccccc cgccgctgcc tagcatctgc ttggccaatt agttcagcct cagaccatgg cactttgagg gggtctctac ctccccatca acagctgcag ggggacccca gtgccaactt cctctcccac tagggccctg ccttcagctg gtgcttgctg	1461 1521 1581
148	cgattcctgt gccttatgta actgcccttc cttcccttgc cctaggaaaa aggctgcatc	1641
	tttatatgtt acattcatat aaactttgta actttttgg <210> SEQ ID NO: 4	1680
	<211> LENGTH: 20	
	<212> TYPE: DNA	
156	<213> ORGANISM: Artificial Sequence	
158	<220> FEATURE:	
	<223> OTHER INFORMATION: PCR Primer	
	<400> SEQUENCE: 4	
	gtccgagaag ccctcacaga	20
	<210> SEQ ID NO: 5 <211> LENGTH: 19	
	<211> LENGTH: 19 <212> TYPE: DNA	
	<213> ORGANISM: Artificial Sequence	
	<220> FEATURE:	
	<223> OTHER INFORMATION: PCR Primer	
	<400> SEQUENCE: 5	
176	gccttcaccc tcacatcca	19
179	<210> SEQ ID NO: 6	
	<211> LENGTH: 27	
	<212> TYPE: DNA	
	<213> ORGANISM: Artificial Sequence	
	<220> FEATURE:	
	<223> OTHER INFORMATION: PCR Probe <400> SEQUENCE: 6	
	cagatgactt tggcctacag ttcccgc	0.7
192	<210> SEQ ID NO: 7	27
	<211> LENGTH: 19	
	<212> TYPE: DNA	
	<213> ORGANISM: Artificial Sequence	
197	<220> FEATURE:	
199	<223> OTHER INFORMATION: PCR Primer	
	<400> SEQUENCE: 7	
202	gaaggtgaag gtcggagtc	19
	<210> SEQ ID NO: 8	
	<211> LENGTH: 20	
	<212> TYPE: DNA <213> ORGANISM: Artificial Sequence	
210	<220> FEATURE:	
	<223> OTHER INFORMATION: PCR Primer	
	<400> SEQUENCE: 8	
	gaagatggtg atgggatttc	20
218	<210> SEQ ID NO: 9	
	<211> LENGTH: 20	
	<212> TYPE: DNA	
221	<213> ORGANISM: Artificial Sequence	

Input Set : A:\RTS-0335 Sequence Listing.txt
Output Set: N:\CRF3\12202001\J006972.raw

```
223 <220> FEATURE:
        225 <223> OTHER INFORMATION: PCR Probe
        227 <400> SEQUENCE: 9
                                                                                             20
        228 caagetteec gtteteagee
        231 <210> SEQ ID NO: 10
        232 <211> LENGTH: 596
        233 <212> TYPE: DNA
        234 <213> ORGANISM: Homo sapiens
        236 <220> FEATURE:
     -> 238 <221> NAME/KEY: exon: exon junction
       /239 <222> LOCATION: (333)...(334)
        240 <223> OTHER INFORMATION: exon 5:exon 6b
  W--> 242 <221> NAME/KEY: exon: exon junction
        243 <222> LOCATION: (423)...(424)
        244 <223> OTHER INFORMATION: exon 6b:exon 7
        247 <400> SEQUENCE: 10
        248 ttggggtctg ctgcccctt cttgccactg ccagggtgcc ttctggcctc gaattcctgg
        250 tgcagattga tcagattttg attcaccaga aggctgagcg agtggaaacg ttcctagtgc
                                                                                           120
        252 tgggagacct gtaatcggta tgaactgcgc tctggggcct gggcagcccc tgggtcaggc
                                                                                           180
        254 ggccgaggag agcaactgct gcgcccgtct gtgctgtggc tgcccgccgg cctgctgcgt
                                                                                           240
        256 gtccgcctgg ccgaccccgg ggaccgtgag gtgctgcgtt tgctccgccc gctgcactgt
                                                                                           300
                                                                                           360
        258 ggctgcagct gctgcccctg tggcctccag gagttctcca tccaggatgc cgatcgccag
        260 acagtettge gagtggtggg geeetgetgg acetgtgget gtggcacaga caccaacttt
                                                                                           420
        262 gaggtgaaga ctcgggatga atcccgcagt gtgggccgca tcagcaagca gtgtgggggg
        264 cetggteega gaageeetea eagatgeaga tgaetttgge etacagttee egetggaeet
                                                                                           540
        266 ggatgtgagg gtgaaggctg tgctgctggg agccacattc ctcatttgac tactgt
                                                                                           596
        269 <210> SEQ ID NO: 11
       270 <211> LBNGTH: 000
271 <212> TYPE: DNA
272 <213> ORGANISM: Homo sapiens do not show there in an intertorally
274 <220> FEATURE:
276 <400> SEQUENCE: 11
277 000
279 <210> SEQ ID NO: 12
280 <211> LENGTH: 000
281 <212> TYPE: DNA
282 <213> ORGANISM: Homo sapiens

Even furmary
  (a)√-> 277 000
        286 <400> SEQUENCE: 12
())(1--> 287 000
        289 <210> SEQ ID NO: 13
        290 <211> LENGTH: 000
        291 <del><212> TYPE: DNA</del>
        292 <213> ORGANISM: Homo sapiens
        294 <220> FEATURE:
                                                                         The types of errors shown exist throughout
        296 <400> SEQUENCE: 13
                                                                         the Sequence Listing. Please check subsequent
  (w¥-> 297 000
                                                                         sequences for similar errors.
        299 <210> SEQ ID NO: 14
```

300 <211> LENGTH: 20

	<212> TYPE: DNA	
302	<213> ORGANISM: Artificial Sequence	
304	<220> FEATURE:	
	<223> OTHER INFORMATION: Antisense Oligonucleotide	
	<400> SEQUENCE: 14	
	cggcagctca caggagctgg	20
312	<210> SEQ ID NO: 15	
	<211> LENGTH: 20	
	<212> TYPE: DNA	
315	<213> ORGANISM: Artificial Sequence	
	<220> FEATURE:	
	<223> OTHER INFORMATION: Antisense Oligonucleotide	
321	<400> SEQUENCE: 15	
	gcactcggca gctcacagga	20
325	<210> SEQ ID NO: 16	
326	<211> LENGTH: 20	
	<212> TYPE: DNA	
328	<213> ORGANISM: Artificial Sequence	
330	<220> FEATURE:	
332	<223> OTHER INFORMATION: Antisense Oligonucleotide	
334	<400> SEQUENCE: 16	
335	tgcctagcac tcggcagctc	20
	<210> SEQ ID NO: 17	
339	<211> LENGTH: 20	
340	<212> TYPE: DNA	
341	<213> ORGANISM: Artificial Sequence	
	<220> FEATURE:	
	<223> OTHER INFORMATION: Antisense Oligonucleotide	
	<400> SEQUENCE: 17	
	tggcttagtt ctggagcccc	20
	<210> SEQ ID NO: 18	
	<211> LENGTH: 20	
	<212> TYPE: DNA	
	<213> ORGANISM: Artificial Sequence	
	<220> FEATURE:	
	<223> OTHER INFORMATION: Antisense Oligonucleotide	
	<400> SEQUENCE: 18	
	tggtgtctgg gtggcttagt	20
	<210> SEQ ID NO: 19	
	<211> LENGTH: 20	
	<212> TYPE: DNA	
	<213> ORGANISM: Artificial Sequence	
	<220> FEATURE:	
	<223> OTHER INFORMATION: Antisense Oligonucleotide	
	<400> SEQUENCE: 19	
	tcgagatgat ggtgtctggg	20
	<210> SEQ ID NO: 20	
	<211> LENGTH: 20	
379	<212> TYPE: DNA	

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/006,972

TIME: 13:02:42

```
L:9 M:270 C: Current Application Number differs, Replaced Current Application No
L:9 M:271 C: Current Filing Date differs, Replaced Current Filing Date
L:238 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:10
L:242 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:10
L:277 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (11) SEQUENCE:
L:287 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (12) SEQUENCE:
L:297 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (13) SEQUENCE:
L:1193 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (82) SEQUENCE:
L:1206 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (83) SEQUENCE:
L:1219 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (84) SEQUENCE:
L:1232 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (85) SEQUENCE:
L:1245 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (86) SEQUENCE:
L:1284 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (89) SEQUENCE:
L:1297 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (90) SEQUENCE:
L:1310 M:300 W: (50) Intentionally skipped Sequence, : Sequence Id (91) SEQUENCE:
```